Zero TB Metrics Mutli-dimensional Progress Cards

This is a companion document to be paired with "A Best-Practice Framework of Program Indicators for Monitoring a Comprehensive Approach to the Tuberculosis Epidemic". The purpose of this document is to highlight supportive or complimentary policies and programmatic approaches required to implement a comprehensive program against TB.

The five Progress Cards capture three broad areas:

1. Specific questions regarding policies and programmtic approaches employed at your Zero TB site.

2. Indicates stakeholder groups that have responded to the question section. Stakeholder groups are not required to respond to every section.

3. Score should accurately reflect general progress made toward the ultimate goal. Variance calculated from individal stakeholder scores and left blank if only one stakeholder has completed Progress Card.

Empowering patients

G1) G2

AVERAGE SCORE

PROGRESS KEY

VAR

1.1.1. In practice, does responsibility fall more on the patient or the program for adherence to treatment?

Stakeholder Key:

G1 = Implementing Coalition

G2 = ZTBI Accompaniment Lead

G3 = Patient/ Community Groups

Zero TB Metrics Progress Card 1: Program Design

CITY: _______ REGION: _______

COMPLETED:

				1	PROGRES	SS KEY_	
Empowering patients	G 1	G 2	G 3	AVERAGE SCORE 1 2	3	4	VAR
1.1.1. In practice, does responsibility fall more on the patient or the program for adherence to treatment?				 			
1.1.2. Does the TB program have a systematized process to document daily adherence for each patient?				 			
1.1.3. Does the TB program utilize a patient-centered protocol to plan patients' treatment and improve adherence	e?						
				! !			
Capacity building for staff and health systems	G 1	G 2	G 3	1 2	3	4	VAR
1.2.1. Are the operating hours at health facilites difficult for patients to meet?				}			
1.2.2. Are trained commumity health workers providing treatment support, both in and outside health facilities	es?			! ! !			
1.2.3. Are TB unit staff strengthening patients' knowledge about the disease?				}			
1.2.4. Are TB unit staff trained regularly on adherence measurements and monitoring?				! !			
				! !			<u></u>
Connecting patients to resources and support	G 1	G 2	G 3	1 2	3	4	VAR
1.3.1. Is information on identification and management of side-effects available to patients?				<u> </u> 			
1.3.2. Are economic supports available via cash transfer, employment opportunities or similar schemes?				 			
1.3.3. Are support groups available for patients to share experiences and support each other during treatment	?						
				I L			
Linking other services for patients	G 1)	G 2	G 3	1 1 2	3	4	VAR
1.4.1. Are resources available for people with TB who need the most support (for drug-addiction, alcoholism, is	olation)	?		}			
1.4.2. Are other public & private institutions outside the health system involved systematically in supporting pa	tients?			 			
1.4.3. Do policies promote nutritional assessment, counseling, and supplements for TB patients who need then	n?			: 			
				1 !			

Zero TB Metrics Progress Card 1: Program Design

CITY:	
REGION:	
OLINTRY'	

Completed:	

Diagnosing people with TB disease and TB infection







2

AVERAGE SCORE

PROGRESS KEY

3

VAR

1.5.1. Is the program moving toward more sensitive diagnostic tools in their algorithm for diagno	osis
---	------

1.5.2. If TB disease is ruled out among contacts, is there a path to preventive therapy (PT) where needed?

1.5.3. Are there delays in diagnostic process, or linkage to care after diagnosis?

Zero TB Metrics

Progress Card 2: Policy Environment + Realization

Сіту:	
REGION:	
COLINTRY	

COMPLETED:

+ Realization								
				ı		PROGRES	SS KEY	
				AVERAG	e S core			
Patient-centered policies for access to care and medicines	(G1)	(G2)	(G3)	1	2	3	4	VAR
· · · · · · · · · · · · · · · · · · ·				i				
2.1.1. Does program provide active case finding (ACF) in high-risk settings that include people with TB?				[
2.1.2. Are shorter regimens for treating TB infection (so-called LTBI) accessible and used?				i				
2.1.3. Are new drugs against MDR-TB available and/or used in this site?				!				
				I I				
Policies for treating people at higher risk of TB	(G1)	(G2)	(G3)	¦ 1	2	3	4	VAR
2.2.1. Are high-risk (HR) contacts of active patients enrolled in preventive therapy beyond under 5s and HIV+?				i				
2.2.2. Is treatment integrated with support services for high-risk and/or vulnerable groups?				i I				
2.2.3. Is epidemiological data used to inform case finding, treatment, and prevention for high-risk groups?				1				
				1				
Danta analysis a and dispose and into quation	(G1)	(G2)	(G3)	. 1	2	3	4	VAR
Partnerships and disease area integration	(G1)	(02)	(43)	; '	2	5	7	VAII
2.3.1 Is there a broad based multi-institutional coalition that includes civil/municipal/regional governent support	ort?			:				
2.3.2. Do policies and programs recognize diabetes and other TB comorbidities and support linkage of services	?			I I				
2.3.3. For people living with HIV, are ARVs and and preventive therapy against TB integrated systematically?								
				! !				
				1 1				
		(2)	(C2)	! ! 1	2	3	4	VAR
Pharmaceutical policy and management	GI	(GZ)	(G3)	, ' ,	2	3	7	VAII
2.4.1. Are pediatric formulations of TB drugs available and utilized?				;				
2.4.2. Is treatment initiation delayed due to logistical challenges with medications?				1				
2.4.3. Are side effects medicines available free of charge to the patient?								
2.4.4. Are there regular stockouts of TB medications, and are programs working to address this?				! !				
				I I				
				ı				

Сітү:	
REGION:	
COUNTRY:	

COMPLETED:

This section will be tailored to match the profile of your Zero TB site in terms of key populations affected by TB.

PROGRESS KEY

Incarcerated people









AVERAGE SCORE

3

- 3.1.1. Do prisons conduct regular surveys into treatment for TB among incarcerated people and implement improvements?
- 3.1.2. Are the experiences of incarcerated people with TB documented and used to inform decision-makers?
- 3.1.3. Are there issues with drug, diagnostic, or equipment management for TB services in prisons?
- 3.1.4. Does the TB program conduct or promote education campaigns among prisons regarding risks of tuberculosis, and TB treatment basics?
- 3.1.5. Is there collaboration between health authorities and prisons in areas of patients release/transfer, and continuity of care generally?



Urban Populations







2

3

- 3.2.1. Does the TB program conduct health surveillance, improve data quality, and use this data to improve services in urban areas?
- 3.2.2. Does the TB program use a system of economic or other incentives for patients to improve referral and adherence?
- 3.2.3. Have available public and private services been mapped, and is there a linkage system between care providers in the urban area?
- 3.2.4. Do campaigns increase awareness of existing services, treatment literacy, and provide education on TB and treatment adherence in the city?
- 3.2.5. Is there significant outside assistance or resource allocation from private sector, national government, or other organizations for TB elimination in the urban area?

Сіту:	
REGION:	
COUNTRY	

COMPLETED:

				 A VERAGE	Cope	PROGRE	SS KEY	
Mobile Populations	G 1	G 2	G 3	i 1	2	3	4	VAR
3.3.1. Do national and regional governments conduct surveys to improve data regarding migrant populations a national TB program's goals and guidelines?	and inclu	ıde ther	n in the					
3.3.2. Are TB programs culturally appropriate for migrant populations and do they prioritize open communicat	ion with	this po	pulation	;				
3.3.3. Does the TB program utilize a referral system between labs and care providers to improve contact tracing a	and cont	inuity o	f care?	i !				
3.3.4. Does the TB program make available education and health literacy materials that are appropriate for this p cultural competency, risks, etc.)?	opulatio	n (langı	uage,	 				
3.3.5. Does national funding allow for TB care for all, regardless of legal status??				 				
Children	G 1	G 2	G 3	1 	2	3	4	VAR
3.4.1. Is research conducted to improve surveillance data on childhood TB, and is this data used to improve TB	program	ıs?		! !				
3.4.2. Are communities and familiies actively involved in treatment?				! !				
3.4.3. Are childhood TB programs integrated into existing health services?								
3.4.4. Are community members, family members, and health care providers aware of childhood TB symptoms are		I I						
3.4.5. Does the TB program promote child-specific policies, treatment procedures, drugs, or other consideration	s?			! !				
				! !				
Indigenous Peoples	G 1	G 2	G 3	¦ ¦ 1	2	3	4	VAR
3.5.1. Does the TB program conduct regular surveys to understand TB in indigenous populations, and use this improve services?	data to] 				
3.5.2. Are patients and indigenous groups included in the decision-making process regarding education devel diagnosis, and treatment?	opment,	,		 				
3.5.3. Are community-based, public, and private services available and linked to expand access to care and impr	ove care			! !				
continuity?	ove care							
3.5.4. Does the TB program provide culturally appropriate education and health literacy campaigns and materia	ls?			 				
3.5.5. Is additional funding devoted specifically to indigenous populations and their empowerment via information	tion on T	ГВ?) 				

CITY: REGION: COUNTRY:

COMPLETED:

M	ш	n	Δ	r	C
1 7 1	ш		L	١.	J









PROGRESS KEY

3

- 3.6.1. Do stakeholders (mining companies, unions, governments) collaborate to record and improve data regarding TB among mining populations, and use this data to improve the TB program?
- 3.6.2. Does the TB program collaborate with unions and organizations to identify risks and safety violations based on miners' experiences, as well as to improve TB services?
- 3.6.3. Does the TB program collaborate with unions and organizations to increase miners' access to TB screening and treatment services?
- 3.6.4. Does the TB program conduct educational campaigns to increase awareness of TB risks, the importance of adherence, and overall treatment literacy?
- 3.6.5. Are efforts like promoting legislation and improving occupational and health safety in action for capacity and access building for miners?







2

3

- People Who Use Drugs
- 3.7.1. Are surveys regularly conducted to increase knowledge about TB among PWUD, and is this data used to implement improvements in services for this population?
- 3.7.2. Are PWUD consulted in their treatment and included in the decision-making process with their health care providers and TB services?
- 3.7.3. Are services targeting PWUD integrated with TB services to provide linkage to care and improve adherence?
- 3.7.4. Does the TB program engage with patients and civil society to improve awareness and education regarding risks of TB as well as TB treatment literacy?
- 3.7.5. Does the TB program work with decision-makers to promote policies that reduce stigma among PWUD and ensure that treatment is accessible to this population?

C ITY:	
REGION:	
COLINTRY	

OMPLETED:	

4

PROGRESS KEY

Health Care Workers

Rural Populations







AVERAGE SCORE

VAR

- 3.8.1. Is regular screening and surveillance conducted in healthcare worker populations, and is this data used to improve the TB program and increase safety for workers?
- 3.8.2. Are healthcare workers involved in review of TB programs and made aware of their rights, and are their experiences used to inform improvements in the TB program?
- 3.8.3. Is there collaboration among healthcare workers' places of employment and TB services to ensure linkage to care and ease of access?
- 3.8.4. Are health care workers aware of the services for screening and treatment, as well as their increased risk of the disease?
- 3.8.5. Are governments and facility managers held accountable for TB risks, and do policies recognize TB as an occupational risk among this population?





2

3

VAR

- 3.9.1. Are policies regularly reviewed and surveys regularly conducted to gather data and inform efforts to improve services?
- 3.9.2. Are communities involved in the decision-making process for scaling up, improving, or integrating TB services?
- 3.9.3. Are networks established in rural communities to connect TB patients and their families with treatment, services, and support, as well as to improve linkage between services?
- 3.9.4. Are educational materials appropriate for rural populations, and have efforts been made to improve TB awareness and treatment literacy?
- 3.9.5. Does the TB program promote policies specific to this population and devote funding to strengthening services and care?

Сітү:	
Region:	
COUNTRY:	

PROGRESS KEY

People Living with HIV









AVERAGE SCORE

2 3

4

VAR

- **3.10.1.** Are regular reviews of laws and policies conducted, and are data from these reviews used to improve services and protect patients?
- **3.10.2.** Are PLHIV involved in decision making for creating TB policies and improving TB program services where it affects them?
- 3.10.3. Are TB and HIV services integrated to ensure that all health care workers are trained, innovative methods fit the needs of PLHIV communities, and PLHIV have access to care?
- **3.10.4.** Does the TB program conduct regular education campaigns and produce treatment literacy materials appropriate for PLHIV?
- 3.10.5. Does the TB program promote policies to reduce stigma, sensitize health workers, and document rights violations of PLHIV and people with TB?

Zero TB Metrics

Progress Card 4: Lab and Referral Network

4.1.1. Is an established, certified (usually national) reference laboratory the standard for diagnostic practices?

4.1.2. Are sputum sample collections and transportation methods reviewed and improved as needed?

4.1.3. Are investments directed towards streamlining diagnostics by targeting clinical co-morbidities?

4.1.4. Are labs given free or reimburseable access to DST improvements?

4.1.5. Are TB lab investments leading to overall lab improvements?

Сіту:	
REGION:	
COUNTRY	

COMPLETED:

Laboratory Strengthening









PROGRESS KEY

Incorporating Innovations







AVERAGE SCORE

4.2.1. Are new and innovative diagnostics methods being integrated into screening algorithms (such as more sensitive and efficient tools earlier in the algorithm)?

Zero TB Metrics

Progress Card 5: Information Management and Use

Сіту:	
Region:	
COLINTRY.	

Completed:

				I I		PROGRESS KEY		
Information Flows Between Sectors	G 1	G 2	G 3	AVERAGE	Score 2	3	4	VAR
5.1.1. Is patient information transferred effectively between public and private sectors, where applicable?								
5.1.2. Is the private sector engaged (sharing some data) in TB program reviews and improvements?								
5.1.3. Are penitentiary and non-penitentiary records shared so patients do not discontinue TB care when released or incarcerated?								
Data Driving Quality Improvement	G 1)	G 2	G 3	¦ ¦ 1	2	3	4	VAR
5.2.1. Is routinely collected data on TB feeding into health system design to improve services for the entire population in your area?								
5.2.2. Are setting-specific vulnerable groups (PLWHA, indigenous, etc.) receiving services based on need?				I I				
5.2.3. Is better diagnostic information improving program quality (DST, rapid tests available, etc.)?								
				! ! !				
Access to Epidemiological Information	G 1)	G 2	G 3	1 1	2	3	4	VAR
5.3.1. Does local government conduct regular reviews and make improvements to TB control and TB care?								
5.3.2. Has a prevalence survey been conducted recently, and is data available to the public?								
5.3.3. Are screening, prevention, and treatment targets of the TB program available to the public?								
				! ! !				